



Date: 28-06-2024

TO

The Environmental Engineer

Kerala State Pollution Control Board

Malappuram

Sub: Submission of annual report (form IV) for the year Jan 2023 -Dec 2023 under Biomedical Waste Management and Handling Rules,

Ref: KSPCB Consent No. KSPCB/MA/ICO/10031268/2023

Dear Sir,

With Reference to the above subject, I Here with submitting details of form IV (under Biomedical Waste Management and Handling Rules, Annual returns) disposed to KSPCB authorized agency for the year Jan 2023- Dec 2023 of our unit having address Malabar Institute of Medical Sciences Ltd, Areekode (Aster Mother Hospital, Areekode, Ugrapuram (PO), Perumparamb, Vazhakkad Road, Areekode, Malappuram, Kerala, 673639).

Please Update in your records and acknowledge the same.

Regards

For Malabar Institute of Medical Sciences Ltd, Areekode

Dr. Dilshad Thondiparambil
Deputy Chief of Medical Services
Aster Mother Hospital - Areekode



Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

il. Io.	Particulars	Details	
	Particulars of the Occupier		
	(I) Name of the authorized person (occupier or operator of facility)	The Director	
	(ii) Name of HCF	MALABAR INSTITUE OF MEDICA (Aster Mother Hospital Areekode) IMAGE CBWTF Aff.No.MPM.1074	
	(iii) Address for Correspondence	Malabar Institute of Medical Scient Ltd,Areekode Aster Mother Hospital,Areekode Ugrapuram (PO),Perumparamb Vazhakad Road, Eranad, Malappu Kerala, India, Pin - 673639	
	(iv) Address of Facility	Malabar Institute of Medical Scien Ltd,Areekode Aster Mother Hospital,Areekode Ugrapuram (PO),Perumparamb Vazhakad Road, Eranad, Malappu Kerala, India, Pin - 673639	
	(v) Tel. No, Fax. No	9995967420, 9946884888	
	(vi) E-mail ID	astermother@asterhospital.com	
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF	Latitude - Longitude -	11.2306657 76.0375538
	(ix) Ownership of HCF or CBMWTF	Director	
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorization No: KSPCB/MA/ICO/10031268/2023	Valid up to 30-06-2028
	(xi) Status of Consents under Water Act and Air Act	KSPCB/MA/ICO/10031268/2023	Valid up to 30-06-2028
2	Type of Health Care Facility		
	(i) Bedded Hospital	No of Beds: 145	
	(ii) Non-bedded hospital		
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		

	Details of CBMWTF	IMAGE / IMA,KSB,Beh Kanjikkode west,Palal Tel. No.:0491 2570470, Email: imageimaksbtv Admin: Office: IMAGE Thiruvananthapuram I	kkad - 678 623 m@gmail.com , IMA State He	, adquarters	s,Anay	
	(i) Number healthcare facilities covered by CBMWTF	18916				
	(ii) No of beds covered by CBMWTF	101809				
	(iii) Installed treatment and disposal capacity of CBMWTF:	55.8 tonnes per day				
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	51.52 tonnes per day				
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) (kg/year)	35760.674				
		Category	Regular(kg)		Covi	d(kg)
		Red Waste (kg/year)	15494.022		0.00)
		Yellow Waste (kg/year)	17778.888		0.00	
		Blue Waste (kg/year)	2028.696		0.00	
		White Waste (kg/year)	459.068		0.00	
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility :	yes				
	Size :	320 sqft				
	Capacity:	2000kg				
	Provision of on-site storage: (cold storage of any	well ventilated, dedicated rooms based on their cate in our facility.				
	(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No of units	Capacity Kg/ day		Quantity Treated or disposed in kg per annum (kg/year)
		Incinerators	Nil	Nil		
		Plasma Pyrolysis	Nil	Nit		
		Autoclaves	Nil	Nil		
		Microwave	Nil	Nil		
		Hydroclave	Nil	Nil		
		Shredder	Nil	Nil		
		Needle tip cutter or destroyer	Nil	Nil		
		Sharps (bottles) Encapsulation or concrete pit	Nil	Nil		

	/				
		Deep burial pits (Needle)	Nil	Nil	
		Chemical disinfection	Nil	Nil	
		Any other treatment equipment:	Nil	Nil	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. Red Category (like plastic, glass etc.)	The Biomedical Waste of the CBWTF,treated & di	generated from sposed of by t	n this HCE is colle the IMAGE - CBW	cted,transported to TF.
	(iv) No of vehicles used for collection and transportation of biomedical waste	The Biomedical Waste g the CBWTF,treated & di			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	The Biomedical Waste g the CBWTF,treated & di			
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	IMAGE CBWTF (Indian Kanjikode West, Palakk		ciation Goes Eco-f	riendly) Manthuruthi
	(vii) List of members HCF not handed over bio- medical waste.	NA			
6	Do you have a bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes			
7	Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW-Management	32			
	(ii) number of personnel trained	659			
	(iii) number of personnel trained at the time of induction	516			
	(iv) number of personnel not undergone any training so far	No			
	(v) whether standard manual for training is available?	Biomedical Waste Mana	gement Traini	ng Module from th	e IMAGE- CBWTF
	(vi) any other information				
8	Details of the accident occurred during the year				
	(i) Number of Accidents	Nil			
	(ii) Number of the persons affected occurred				
	(iii) Remedial Action taken (Please attach details if any)				
	(iv) Any Fatality occurred, details.				
9	Are you meeting the standards of air Pollution from the incinerator?	We don't have incinerator			
	How many times in last year could not met the standards?				

	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place.	Yes, we have a separate line and collection tank for liquid bio-medical waste at STP area, which is treated as per norms and treated using Ultra filtration technique
	How many times you have not met the standards in a year?	-
11	Is the disinfection method or sterilization meeting the log 4 standards?	Yes
	How many times you have not met the standards in a year?	
12	Any other relevant information	
	(Air Pollution Control Devices attached with the Incinerator)	

Certified that the above report is for the period from 01-01-2023 to 31-12-2023

Name and Signature of the Head of the Institution

Dr. Dilshad Thondiparambil
Deputy Chief of Medical Services
Deputy Chief Hospital - Areekode
Aster Mother Hospital - Areekode

Date: 31-12-2023 Place: Ugrapuram

		Blue Bag	Bags	Red Bags	Sags	Yellow Bags	Bags	Containes/sharps	s/sharps	Total
SL.NO	Month	Count	Weight	Count	weight	Count	Weight	Count	Weight	Weight
1	January	2.00	14.10	1183.00	1644.00	1983.00	1614.00	1.00	2.34	3274.44
2	2 February	29.00	149.10	887.00	1320.50	1466.00	1001.14	9.00	22.77	2493.51
3	3 March	73.00	123.09	1092.00	973.70	1709.00	1465.39	99	72.01	2634.19
4	4 April	37.00	166.12	1074.00	985.67	1822.00	1506.66	11.00	22.49	2680.94
5	5 May	21.00	101.34	1182.00	1111.88	1862.00	1610.27	8.00	15.36	2838.85
9	6 June	39.00	169.28	1057.00	1047.47	1586.00	1435.33	12.00	24.92	2686.91
7	7 July	43.00	172.85	1335.00	1104.66	2332.00	1366.43	22.00	73.44	2717.38
8	8 August	42.00	173.55	1225.00	1337.58	2608.00	1882.97	18.00	57.34	3451.44
6	9 September	37.00	195.53	1769.00	1628.90	2950.00	1623.96	9.00	32.70	3481.09
10	10 October	49.00	291.66	1506.00	1502.12	2775.00	1437.00	16.00	50.65	3281.43
11	11 November	57.00	275.48	1463.00	1528.61	2378.00	1297.56	13.00	37.06	3138.71
12	12 December	32.00	196.60	1398.00	1308.93	2141.00	1538.18	20.00	47.99	3091.70



